

SERVICE LINE, GREASE INTERCEPTOR AND FIRE SPRINKLER LINE PLAN REQUIREMENTS CHECK LIST

Provide one set of the following for initial review:

1. Plan on 24"x36" sheet
2. Building, parking lot, etc outline with all utilities shown
3. Sanitary Sewer Service
 - a. Length/slope of service line shown
 - b. Cleanouts shown at change in directions
 - c. Point of connection shown
 - d. Dimension form nearest manhole shown
 - e. Grease interceptor shown
 - f. Plumbing plan provided
 - g. Kitchen fixture plan provided
 - h. Grease interceptor sizing calculations provided
 - i. Details provided:
 - Grease interceptor
 - Manhole ring and cover
 - Service line connection
 - Cleanout
 - Typical trench
4. Water Service
 - a. Service line and fire sprinkler line shown
 - b. Points of connection shown
 - c. Dimension form nearest valve, fire hydrant shown
 - d. Meter pit location shown
 - e. Inside meter within 60' of water main
 - f. Details provided:
 - Service line
 - Meter pit
 - Fire sprinkler line
 - Typical trench

For final submittal and approval the District requires:

- Two sets of the water/fire line plan
- Three sets of the sanitary sewer line plan
- One electronic file (Auto-CAD)